

Product Highlights

Create a Personal Cloud

Use the mydlink Access - NAS app to set up and monitor a personal cloud that allows remote users to access files from any device

Add Storage Drives with Ease

Just open the top to insert up to two storage drives quickly and easily

Stream, Store, and Backup

Watch HD entertainment, manage your files, and back up your most important data securely



DNS-340L

ShareCenter™ + 4-Bay Cloud Network Storage Enclosure

Features

Cloud-Enabled with mydlink Services

- Remotely manage data or built-in applications from anywhere using the mydlink mobile device app or on a PC through the mydlink portal
- Simplified setup through the mydlink portal with D-Link Zero Configuration technology

Storage

- Four easy-to-load hard drive bays accept any capacity 3.5" SATA internal drive
- Multiple RAID types for a wide range of storage options (JBOD, RAID 0, 1, 5, 10, 1+0)
- Hot Swap feature enables replacing a failed hard drive without having to power down or reboot
- One USB 3.0 and two USB 2.0 ports to connect additional external storage or a multifunction printer

Performance

- Faster, more powerful hardware and add-on software features provide a streamlined solution
- Dual gigabit Ethernet connectivity provides high-speed network transfers with support for combining interfaces for faster throughput

Media Streaming

- DLNA Certified media server
- iTunes media server

Backup Options

- Feature-rich backup software suite
- Supports local, remote, USB, and cloud backup
- Supports Apple Time Machine

The DNS-340L ShareCenter™ + 4-Bay Cloud Network Storage Enclosure is an easy-to-use solution for accessing, sharing, and backing up your important data by creating your own personal cloud. Multiple RAID options allow you to keep all of your data safely stored and protected at home, and still have it at your fingertips with this sleek, high-octane NAS device.

Powerful Performance and Flexibility

A plethora of different hard drive modes are available (Standard, JBOD, RAID 0, 1, 5, 10, 1+0), which allow users to choose the configuration best suited to their needs. Standard mode creates two separately accessible hard drives. JBOD combines both drives to create a single, easy to use volume. RAID 0 combines both drives in a "striped" configuration, which provides maximum performance. RAID 1 creates a copy of your data on both drives, providing maximum protection. RAID 5 combines space from three of your hard drives and uses the fourth drive as a parity drive. RAID 10 protects data against loss of non-adjacent disks and uses the disk striping technique to speed up operation when retrieving data from disk storage. The DNS-340L is hot swap enabled meaning you can easily replace a failed drive and your data will automatically be copied to the new drive, allowing the ShareCenter to return to its full level of protection and ensuring your files remain safe.

Share Your Files from Anywhere

The ShareCenter™ + 4-Bay Cloud Network Storage Enclosure includes a web-enabled file server which allows you to download your documents, photos, and other multimedia files from wherever you are. Once configured, simply log into your ShareCenter using the friendly web user interface to view a list of available files.

You can also connect to the DNS-340L with the mydlink Access - NAS app to access and play music, watch videos, and view photos directly on your mobile device. With the mydlink portal, you'll never have to bother with configuring complicated network settings to enable remote access to your content.

ShareCenter™ + 4-Bay Cloud Network Storage Enclosure


Easy Installation and Setup

The DNS-340L can accept 3.5" internal SATA hard drives up to 4TB, and installing drives is as simple as popping the top, attaching the hard drive holders, and then sliding them into place. Remove the top to access the drive bays, then just slide in your storage drives into place and you're ready. USB ports on the front and back of the ShareCenter can be used to attach a multifunction USB printer, an Uninterruptible Power Supply (UPS), or an external USB storage drive to use with the one-touch backup function.

Combined with a D-Link Cloud Router, the DNS-340L can also take advantage of Zero Configuration Setup. Zero Configuration technology greatly simplifies the configuration of your DNS-340L. Simply choose the RAID type you need and Zero Configuration will do the rest for you.

Stream Digital Media With a Built-in Media Server

Back up your digital media files to the ShareCenter for safekeeping, and enjoy the benefits of the built-in DLNA® Certified UPnP AV media server. Stream digital content to compatible media players such as the PlayStation® 3, Microsoft® Xbox 360™, or directly to a smart TV. You can also enjoy photo, music, and video streaming remotely through mobile devices.



Technical Specifications

General

Standards	<ul style="list-style-type: none"> • IEEE 802.3 • IEEE 802.3ab • IEEE 802.3u • TCP/IP • CIFS/SMB • NFS • AFP • DHCP Client • DDNS 	<ul style="list-style-type: none"> • NTP • FTP over SSL/TLS, FXP • HTTP/HTTPS • LLTD • PnP-X • UPnP AV • USB 3.0 • Bonjour • WebDAV
Supported Hard Drive Types	<ul style="list-style-type: none"> • 3.5" Internal SATA I/II – Supports hard drives with capacities of 4TB or above¹ 	
Ports	<ul style="list-style-type: none"> • Two 10/100/1000 Gigabit Ethernet ports • One USB 3.0 Host port 	<ul style="list-style-type: none"> • Two USB 2.0 Host ports • Power
LEDs	<ul style="list-style-type: none"> • Power • USB 	<ul style="list-style-type: none"> • LAN (on LAN port) • HDD 1, 2, 3, 4
Functionality		
Disk Management	<ul style="list-style-type: none"> • Multiple hard drive configurations: <ul style="list-style-type: none"> • Standard • JBOD • RAID 0, 1, 5, 10 • RAID migration from: <ul style="list-style-type: none"> • Standard to RAID 1 • Standard to RAID 5 • Raid 1 to RAID 5 	<ul style="list-style-type: none"> • Hard drive format: EXT4 • Scandisk • S.M.A.R.T. • Supports Advanced Format HDDs • Supports AES Based Volume Encryption • Support HDD Hot Swappable

ShareCenter™ + 4-Bay Cloud Network Storage Enclosure

Account Management	<ul style="list-style-type: none"> • User account management • Group account management • User/Group quota management 	<ul style="list-style-type: none"> • Network access management • ISO mount management • mydlink Account Management
Download Management	<ul style="list-style-type: none"> • HTTP/FTP scheduled downloads 	<ul style="list-style-type: none"> • Peer-to-peer (P2P) downloader
Backup Management	<ul style="list-style-type: none"> • Scheduled backup from PC to NAS (D-Link ShareCenter Sync) • Scheduled local backups • Scheduled remote backup 	<ul style="list-style-type: none"> • Apple Time Machine support • USB backup • Cloud backups (Amazon S3, Google Drive, Dropbox, D-Link Vault)
Device Management	<ul style="list-style-type: none"> • Browser support: <ul style="list-style-type: none"> • Internet Explorer 7 or higher • Mozilla Firefox 3 or higher • Apple Safari 4 or higher • System Setup Wizard (Win / Mac) • D-Link Storage Utility (Win / Mac) 	<ul style="list-style-type: none"> • E-mail notifications • SMS notifications • System/FTP log • Print Server Functionality • System Service Management • Syslog Server/Syslog Client
Power Management	<ul style="list-style-type: none"> • Power saving mode • Auto power recovery • Scheduled power off 	<ul style="list-style-type: none"> • Smart Fan control • D-Link Green Ethernet
Remote File Sharing	<ul style="list-style-type: none"> • Web file server • FTP server • WebDAV 	<ul style="list-style-type: none"> • Mobile device access • mydlink portal access
File Sharing	<ul style="list-style-type: none"> • Max. User accounts: 256 users • Max. Group accounts: 32 groups • Max. shared folders: 128 folders 	<ul style="list-style-type: none"> • Max. concurrent Samba connections: 64 connections • Max. concurrent FTP connections: 10 connections
Physical		
Dimensions	• 185 x 146 x 217.4 mm (7.28 x 5.74 x 8.5 inches)	
Weight	• 1.57 kg (3.46 lbs)	
Power	• External DC 12 V / 3 A switching power supply	
Power Consumption	• Normal Mode: 57.3 W	• Sleep Mode: 23.2 W
Temperature	• Operating: 0 to 40 °C (32 to 104 °F)	• Storage: -20 to 70 °C (-4 to 158 °F)
Humidity	• 0% to 90% non-condensing	
Certifications	<ul style="list-style-type: none"> • CE • FCC 	<ul style="list-style-type: none"> • IC • DLNA
Order Information		
<i>Part Number</i>	<i>Description</i>	
DNS-340L	ShareCenter™ + 4-Bay Cloud Network Storage Enclosure	

¹ Maximum capacity may change as hard drive technology develops.

Updated 2014/05/07