

# IML-C4000W LTE MiFi Product Showcase



# 0. Contents

- Contents
  - 1. Introduction (Design ID)
  - 2. Specification
  - 3. Advantage of MiFi
  - 4. IML-C4000W Feature
  - 5. Add In WiFi Function
  - 6. Add In Function

# 1. Introduction – Design ID

# Design ID – Pebble



# 2. Specification

# □ Specification



< IML-C4000W >

Item	Description	
Main Chipset	Qualcomm: MDM9225 LTE Rel.9/Cat.4 Support DC-HSPA/HSPA+ Support	
Support Band (Band will be selected)	- LTE: Band 1 (2100MHz), 3 (1800MHz), 7 (2600MHz), 38 (2600MHz), 40 (2300MHz), 41 (2600MHz) - 3G: Band 1 (2100MHz), 3 (1800MHz)	
WiFi	802.11 a/b/g/n Support 2.4/5GHz, HT20/HT40 Support	
Battery	3.8V Li-Ion 1,800mAh Removal Type	
Operating Time	7+ Hours (LTE) 8+ Hours (3G)	
Interface	USB : Tethering & Changing Nano USIM	

# 3. Advantage of MiFi

#### Easy-to-use

- Automatic network connection with power-on
- Any device can be accessed to WiFi network
- Easy setup and management without any installation and setting.

#### **Mobility**

- Removal battery enable you to be on-line while move-on.
- Portable compact size
- Create your own Wireless Anywhere!
- Dedicated battery usage for the data only (no more waste of battery for additional function such as and Voice)

# 4. IML-C4000W Features

#### ☐ Compact, Stylish & Strong

#### Compact

- Compact Size: 81.0mm x 70.5mm x 12.7mm
- Compact size makes user convenient to carry from place to place (weight 72g only)

# Stylish - Stylish

- Stylish good looks which matches with Portable
   Tablet PC, Smart phone etc.
- Stylish round design


#### Strong

- High capacity battery (1800mAh)
- Optimized battery management (max. 7 hours working time) and long hibernation mode (max. 600 hours)
- Quick booting within 3 seconds by using Hibernation mode.
- Supporting mobile web/shortcut
- 5GHz frequency for WiFi (no interference) by supporting 802.11 a/b/g/n

# 5. Add-In WiFi Function – Sharing Network

### **Host(Private) / Guest(Public or Sharing) Network**


- Dual SSID Support
  - Primary SSID is for Host(Private) Network
  - Secondary WiFi SSID is for Guest(Public or Sharing) Network
- Bandwidth and user access number of Guest (Public or sharing) can be limited
- User-friendly configuration and diagnostic utilities



# 5. Add-In WiFi Function - Public WiFi

#### **Access to Public WiFi Network**

- Access to Public WiFi Network while data connection
  - > It enables user device to use Public WiFi network without any configuration while you are on IML-C4000W
- Setup Home WiFi and access to Home WiFi Network
  - > It enables user device to use Home WiFi network automatically while you are on IML-C4000W




- Authentication for Public WiFi Zone

# 5. Add-In WiFi Function – 5GHz


#### 802.11n 5GHz Support

- 2.4GHz frequency has lots of interference and it causes lower performance and thrughput
- 5GHz WiFi frequency enables the user device to use higher WiFi performance and throughput

#### < 2.4GHz WiFi AP >



#### < 5GHz WiFi AP >



# 6. Add-In Function - Hibernation

#### **Hibernation**

- Hibernation mode support by optimizing power management.
- Quick Booting support when power-on
  - > Enter Hibernation mode when device power-off
  - > Wake up from the Hibernation mode when device booting
- Quick network connection from the Hibernation mode with 3 seconds when device power-on
- Long Hibernation standby mode (600 hours) thru optimized power management.

#### < Hibernation Time >

Item	IMW-C4000W	H company	Remark
Hibernation Wakeup Time	3 sec	Not support	
Hibernation Standby Time	600 hours	Not support	
Power On	about 25 sec	about 25 sec	

# 6. Add-In Function - Mobile Web

#### **Mobile Web**

- Mobile web support (no download needed)
- Optimized application for iOS, Android based smart phone & tablet PC. ••••• olleh 🖘 \*
- One-click connection thru the shortcut on the smart phone.
- Remote management from the smart phone.
- SMS support
- WiFi management and configuration
- Battery status monitoring



#### < Mobile Web Page >

오후 10:52 192.168.1.1 62%

# **INFOMARK**

IML-C4000W




4G Status	•
Network Data Usage	0.00 Bytes View
Wi-Fi	IML-C4000W 3305 +
SMS	View

# 6. Add-In Function – FOTA

## **FOTA (Firmware Over The Air)**

- Automatic/Manual firmware upgrade
- Automatic firmware upgrade while user device is activated.
- Upgraded firmware applied when rebooted
- Fail safe support during upgrade process.



- Auto/Manual firmware upgrade
- Upgraded firmware applied when rebooted
- Fail Safe support

# **Waiting for Your Smile**

**INFOMARK**