



Prints on both sides

Wireless Compact Mono Laser Multi-Function Centre[®] with Fax and Automatic Double-Sided (Duplex) Printing

The MFC-7860DW offers print, scan, copy and fax capabilities in one compact Multi-Function Centre[®]. Fast, high quality double-sided prints, combined with low running costs and network connectivity make this the perfect solution for small office workgroups.



PRINT



SCAN



COPY



FAX

- Versatile all-in-one mono laser printer, scanner, copier and fax.
- Fast printing at speeds of up to 26 pages per minute (ppm).
- Save paper with automatic double-sided (duplex) printing.
- Save on hardware costs by sharing your machine between multiple users on your existing network.
- 35 sheet Automatic Document Feeder (ADF) for fast and efficient multipage scanning, copying and faxing.
- Optional high-yield toner cartridge to reduce print costs further.
- Low maintenance: large 250 sheet paper tray and manual feed slot to print on envelopes.



Fast and efficient, the MFC-7860DW is packed with a wealth of features to help you save time and cut costs...



Scan colour documents direct to your PC

Versatile

With high speed printing and copying at up to 26 pages per minute, the Brother MFC-7860DW produces high quality documents fast. A 250 sheet built-in paper tray means you will be replenishing paper less frequently making you more efficient in your daily tasks. The single sheet multi-purpose tray allows you to print on thicker media such as envelopes.

The high resolution colour scanner means you can create digital copies of hard copy documents quickly and easily and thanks to the 35 sheet Automatic Document Feeder (ADF) multipage reports and invoices can be scanned, copied or faxed in no time at all.

Value for Money

The MFC-7860DW is designed to keep print costs to a minimum. Significantly reduce paper consumption with automatic double-sided (duplex) printing or the N-in-1 function (printing multiple pages onto just one sheet). Using Toner Save Mode or the optional high-yield toner cartridge can further reduce your running costs.

Shared Resources

Sharing an all-in-one among multiple users makes your office more efficient, and reduces both hardware costs and clutter. The MFC-7860DW is equipped with both Wired and Wireless Network connectivity, ready to be shared between a number of users.

Easy to Use

Although the MFC-7860DW is equipped with a wealth of high quality functions, the intuitive control panel with the 2 line backlit LCD screen means you will be familiar with the most frequently used features in no time. An easy to follow menu structure means the machine is quick and easy to set-up and configure.

Environmentally Friendly

Thanks to its low power consumption and energy saving features the MFC-7860DW has been awarded international ENERGY STAR accreditation – saving you money and the environment.

Brother's separate toner and drum system significantly reduces waste. Furthermore, you can recycle your used toner cartridges free of charge thanks to Brother's sponsorship of the Cartridges 4 Planet Ark recycling program.

As part of its ongoing commitment to environmental conservation and sustainable resource management, Brother is a proud partner of Earthwatch Australia, Byteback, the Australian Packaging Covenant, and Brother's Environmental Management System is ISO 14001 certified.

Comprehensive Software

The MFC-7860DW comes complete with a range of easy-to-use software utilities to improve your productivity. Bundled with the powerful Scansoft® Paperport™ document management software, hard copy documents such as invoices can be scanned, stored and managed electronically for future retrieval.



Automatic double-sided (duplex) printing to reduce print costs



Scan, copy and fax multipage documents easily with the 35 sheet ADF

MFC-7860DW

MFC-7860DW Wireless Mono Laser Multi-Function Centre[®] with Fax and Automatic Double-Sided Printing

With fast print and copy speeds of up to 26 pages per minute and automatic double-sided printing, the MFC-7860DW will enable you to produce professional documents in no time. You'll get sharp, crisp text and accurate reproduction of even the finest details on the page thanks to its high print resolution.

This versatile all-in-one can scan, copy and fax multi-page documents quickly and easily using the 35 sheet Automatic Document Feeder (ADF) saving you time for busy day to day tasks. The single sheet multi-purpose tray can be used to print on thicker media such as envelopes, whilst the standard paper tray boasts an impressive 250 sheet capacity so you'll replenish it less frequently.

Save on hardware costs by sharing the MFC-7860DW with multiple users on your existing network. With the MFC-7860DW you also get a choice of standard and high-yield toner to perfectly match how much you print. All supplies, including the drum, can be replaced individually. This saves you money as you only pay for what you've used.

The MFC-7860DW's ENERGY STAR certified energy efficiency means a reduced energy bill for you. Further more, you can return your empty toner cartridge thanks to Brother's sponsorship of the Cartridges 4 Planet Ark recycling program.



MFC-7860DW Specifications

| | |
|---|---|
| Duplex Mono Laser Printer | |
| Technology | Electrophotographic monochrome laser printer |
| Laser Notice | Class 1 Laser Product (IEC 60825-1:2007) |
| Print Speed A4 (Standard) | Up to 26ppm (pages per minute) |
| Print Speed A4 (Duplex) | Up to 10 sides per minute (5 sheets per minute) |
| Resolution | HQ1200 (2,400 x 600dpi), 600dpi, 300dpi |
| Processor | 200MHz (ARM9) |
| Warm Up Time | Less than 7 seconds (from sleep mode) |
| First Print Out Time | Less than 8.5 seconds (from ready mode) |
| Emulation | PCL6, BR-Script3 (Postscript [®] 3 Language Emulation) |
| PCL6 Resident Fonts | 66 scalable fonts, 12 bitmap fonts, 13 barcodes |
| Postscript [®] 3 Resident Font | 66 compatible fonts |
| Memory | 32MB |
| Local Interface | Hi-Speed USB 2.0 |
| Wired Network Interface | 10/100 Base-TX |
| Wireless Network Interface | Wireless LAN IEEE 802.11b/g (Infrastructure Mode/Adhoc Mode) |
| Display | 16 characters x 2 lines white backlit LCD |
| Mono Copier | |
| Copy Speed A4 | Up to 26cpm (copies per minute) |
| Resolution | Up to 600 x 600dpi |
| First Copy Out Time | Less than 11 seconds (from ready mode) |
| Multi-Copying / Stack / Sort | Makes up to 99 copies of each page (stacks or sorts) |
| Reduction / Enlargement Ratio | Reduce & enlarge documents from 25% to 400% using 1% increments |
| N in 1 Copying | Allows the user to compress 2 or 4 pages on to a single A4 sheet |
| Mono Fax | |
| Modem Speed | 33,600bps (Super G3) |
| Internet Fax ^{***} | Fax documents anywhere in the world over the Internet without the use of a telephone line ^{***} |
| Fax/Tel Switch | Automatic recognition of fax & telephone reception |
| One-Touch Dial | 8 (4 x 2) locations |
| Speed & Group Dial | Up to 200 speed locations & up to 8 groups |
| Automatic Redial | Automatically redials number if line is busy |
| Distinctive Ring Detection | Ability to detect different ring styles |
| Fax Forward & Retrieval | Forward or retrieve faxes to or from another location |
| Transmit / Receive Memory | Up to 500 pages (ITU-T Test Chart, Standard Resolution, JBIG) |
| Error Correction Mode (ECM) | Resending of failed documents where sending fax shares ECM |
| PC-Fax ^{**} | Send & receive faxes from your PC using a phone line (Receiving is for Windows [®] only) ^{**} |
| Colour Scanner | |
| Resolution | Up to 600 x 2,400dpi (from scanner glass) 600 x 600dpi (from ADF) |
| Resolution (Enhanced) | Up to 19,200 x 19,200dpi |
| Grey Scale | 256 shades of grey are available for faxing, copying & scanning |
| Colour Depth | 48 bit internal, 24 bit external |
| Scan to Functions | Scan documents to E-mail Client, E-mail Server ^{***} , FTP, Image, OCR or File ^{**} |
| Scanner Compatibility | Same as Printer Driver Software (No Windows Server [®] Support) |
| Media Specifications | |
| Media Types | Standard Paper Tray - Plain Paper, Thin Paper & Recycled Paper Manual Feed Slot - Plain Paper, Thin Paper, Thick Paper, Recycled Paper, Bond Paper, Labels & Envelopes ADF (Automatic Document Feeder) - Plain Paper & Recycled Paper |
| Media Capacity & Weights | 250 Sheet Standard Paper Tray - 60 - 105 g/m ² 1 Sheet Manual Feed Slot - 60 - 163 g/m ² 35 Sheet ADF (Automatic Document Feeder) 64 - 90 g/m ² |
| Media Sizes | Standard Paper Tray - A4, Letter, B5(ISO/US), A5, A5(Long Edge), B6(ISO), A6 & Executive |
| Paper Output | Manual Feed Slot - Width 76.2 to 216mm, Length 116 to 406.4mm 100 Sheets (Face Down) 1 Sheet (Face up) Straight Paper Path |
| Printer Driver Software | |
| Windows [®] | Windows [®] 7 (32 & 64 bit editions), Windows Vista [®] (32 & 64 bit editions), Windows [®] XP Home Edition, Windows [®] XP Professional (32 & 64 bit editions), Windows [®] 2000 Professional, Windows Server [®] 2003 (Network only / 32 & 64 bit editions), Windows Server [®] 2008 (Network only / 32 & 64 bit editions), Windows Server [®] 2008 R2 (Network only) |
| Macintosh | Mac OS X 10.4.11, 10.5.x, 10.6.x |
| Linux ^{***} | CUPS & LPD/LPRng printing system (x86, x64 environment) |
| Printer Driver Functions | |
| N-up Printing ^{††} | Save paper reducing 2, 4, 9, 16 or 25 A4 pages to 1 A4 page |
| Poster Printing [†] | Enlarge 1 A4 page into a poster using 4, 9, 16 or 25 A4 pages for a bigger impact |
| Watermark Printing [†] | Add predefined text or user-defined messages to your documents as a watermark |
| Booklet Printing ^{††} | Print easy-to-read, professional documents in A5 booklet format using automatic duplex |
| Secure Print ^{†††} | Protect your print jobs with a PIN number |
| Header & Footer [†] | Print the time, date, user ID or customised message on your documents |
| Network | |
| Web Based Management | Web browser print server management |
| Driver Deployment Wizard | A quick & easy way to deploy a Brother printer drivers on a networked Windows [®] PC |
| BRAdmin Light | Print Server Management for Windows [®] & Mac OS X 10.4.11, 10.5.x, 10.6.x |
| BRAdmin Professional ^{***} | For LAN / WAN management |
| Secure Function Lock V2 | A function for restricting printing activities by user or group |
| Protocols | TCP/IP (IPv4 & IPv6) |
| IPv4 Supported Protocols | ARP, RARP, BOOTP, DHCP, APIPA (Auto IP), WINS/NetBIOS name resolution, DNS Resolver, mDNS, LLNMR responder, LPR/LPD, Custom Raw Port/Port 9100, IPP, FTP Server, SNMPv1/v2c, HTTP Server, TFTP Client and Server, SMTP Client, ICMP, LLTD responder, Web Services (Print) |
| IPv6 Supported Protocols | NDP, RA, DNS Resolver, mDNS, LLNMR responder, LPR/LPD, Custom Raw Port/Port 9100, IPP, FTP Server, SNMPv1/v2c, HTTP Server, TFTP Client and Server, SMTP Client, ICMPv6, LLTD responder, Web Services (Print) |
| Wireless Network Security | WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (AES), APDP, POP before SMTP, SMTP-AUTH |
| Easy Wireless Setup | Intel My WiFi Technology, Wi-Fi Protected Setup [™] (WPS), AirStation OneTouch Secure System [™] (AOSS), Wi-Fi Certification Mark License |
| Supplies | |
| Inbox Toner | 700 pages* |
| Standard Toner (TN-2230) | 1,200 pages* |
| High Yield Toner (TN-2250) | 2,600 pages* |
| Drum Unit (DR-2225) | Approx. 12,000 pages (1 page / job) |
| Dimensions / Weight | |
| With Carton | 527 (W) x 510 (D) x 493 (H) mm / 14.8kg |
| Without Carton | 405 (W) x 398.5(D) x 316 (H) mm / 11.6kg |
| Others | |
| Power Consumption | 445W copying 55W ready 3.9W sleep 1.7W deep sleep (not available when wireless is active) |
| TEC (Typical Electrical Consumption) | 1.393kWh / week |
| Noise Level | Sound Pressure - Less than 53dBA when printing, less than 30dBA in ready Sound Power - Less than 6.40B when printing, less than 4.22B in ready |
| Ecology | Power Save - Consume less energy when not in use Toner Save - Reduces toner usage |
| Recommended Monthly Print Volume | 250 to 2,000 pages |



* Declared yield value in accordance with ISO/IEC 19752 ** Requires Brother Software *** Optional free download available from <http://solutions.brother.com> † Windows[®] only †† Windows[®] & Apple Macintosh only

Contact:

brother[®]
at your side

Brother International (Aust) Pty Ltd
Level 3, Building A, 11 Talavera Road, Macquarie Park, NSW 2113
Tel: + 61 (2) 9887 4344 Fax: + 61 (2) 9888 9707
Website: www.brother.com.au

All specifications correct at time of printing. Brother is a registered trademark of Brother Industries Ltd.
Brand product names are registered trademarks or trademarks of their respective companies.

www.brotherearth.com